

Sample ID: G3F0271-01 Matrix: Hemp Extracts & Concentrates Test ID: 5025243 Source ID: Date Sampled: 06/16/23 Date Accepted: 06/16/23

Harvest/Prod. Date: 06.15.2023

GVB Oregon info@gvbbiopharma.com **Results at a Glance**

Total THC : <LOQ (0.6307%) % Total CBD : <LOQ (0.1725%) % CBC: 99.10 % PASS Pesticides : PASS **Residual Solvent Analysis :** PASS Total Colonies : <LOQ cfu/g PASS Metals : PASS



Eric Wendt Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab. This is for informational testing and is not compliance testing. Lab results apply to the sample as received.

Quality Control Testing Official Report



Sample ID: G3F0271-01Matrix: Hemp Extracts & ConcentratesTest ID: 5025243Source ID:Date Sampled: 06/16/23Date Accepted: 06/16/23

Harvest/Prod. Date: 06.15.2023

Quality Control Testing Official Report

GVB Oregon

info@gvbbiopharma.com

Date/Time Extra	cted: 06/16	/23 12:12		Analysis Method/SOP: 215 Batch Identification: 2324092
Cannabinoids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total THC	0.6307	< LOQ	< LOQ	
Total CBD	0.1725	< LOQ	< LOQ	
THCA	0.0020	< LOQ	< LOQ	
delta 9-THC	0.0020	< LOQ	< LOQ	
delta 8-THC	0.3736	< LOQ	< LOQ	
THCV	0.4207	< LOQ	< LOQ	
THCVA	0.1567	< LOQ	< LOQ	
CBD	0.0020	< LOQ	< LOQ	
CBDA	0.0020	< LOQ	< LOQ	
CBDV	0.4160	< LOQ	< LOQ	CBC 99.1 Total: 99.1
CBDVA	0.1364	< LOQ	< LOQ	
CBN	0.2489	< LOQ	< LOQ	
CBG	0.0655	< LOQ	< LOQ	
CBGA	0.0655	< LOQ	< LOQ	99.1
CBC	0.0746	99.10	991	
Total Canna	abinoids	99.10	991	

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878) LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.



Eric Wendt Chief Science O

Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab. This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Sample ID: G3F0271-01 Matrix: Hemp Extracts & Concentrates Test ID: 5025243 Source ID: Date Sampled: 06/16/23 Date Accepted: 06/16/23

Harvest/Prod. Date: 06.15.2023

Quality Control Testing Official Report

GVB Oregon info@gvbbiopharma.com

Pesticide Analysis by LCMSMS and GCMSMS

Date/Time Extracted: 06/16/23 14:47 Analysis Method/SOP: 202

Analyte	Result	Action Level	LOD	LOQ	Units	Notes	Analyte	Result	Action Level	LOD L	.0Q	Units	Notes
Abamectin	< LOQ	0.5	-	0.1	ppm	1	Acephate	< LOQ	0.4		0.1	ppm	1
Acequinocyl	< LOQ	2		0.5	ppm		Acetamiprid	< LOQ	0.2	K	0.1	ppm	
Aldicarb	<loq< td=""><td>0.4</td><td></td><td>0.1</td><td>ppm</td><td></td><td>Azoxystrobin</td><td>< LOQ</td><td>0.2</td><td></td><td>0.1</td><td>ppm</td><td></td></loq<>	0.4		0.1	ppm		Azoxystrobin	< LOQ	0.2		0.1	ppm	
Bifenazate	< LOQ	0.2		0.1	ppm		Bifenthrin	< LOQ	0.2	T	0.1	ppm	
Boscalid	< LOQ	0.4		0.1	ppm		Carbaryl	< LOQ	0.2		0.1	ppm	
Carbofuran	< LOQ	0.2		0.1	ppm		Chlorantraniliprole	< LOQ	0.2	V	0.1	ppm	
Chlorfenapyr	< LOQ	1		0.1	ppm		Chlorpyrifos	< LOQ	0.2	-	0.1	ppm	
Clofentezine	< LOQ	0.2		0.1	ppm		Cyfluthrin	< LOQ	1		0.5	ppm	
Cypermethrin	< LOQ	1		0.5	ppm		Daminozide	< LOQ	1		0.5	ppm	
DDVP (Dichlorvos)	< LOQ	1		0.1	ppm		Diazinon	< LOQ	0.2	~	0.1	ppm	
Dimethoate	< LOQ	0.2		0.1	ppm	-	Ethoprophos	< LOQ	0.2		0.1	ppm	
Etofenprox	< LOQ	0.4		0.1	ppm		Etoxazole	< LOQ	0.2	\rightarrow	0.1	ppm	
enoxycarb	< LOQ	0.2		0.1	ppm		Fenpyroximate	< LOQ	0.4	T I	0.1	ppm	
Fipronil	<loq< td=""><td>0.4</td><td></td><td>0.1</td><td>ppm</td><td>1</td><td>Flonicamid</td><td>< LOQ</td><td>1 /</td><td></td><td>0.1</td><td>ppm</td><td></td></loq<>	0.4		0.1	ppm	1	Flonicamid	< LOQ	1 /		0.1	ppm	
Fludioxonil	< LOQ	0.4		0.1	ppm		Hexythiazox	< LOQ	1		0.1	ppm	
mazalil	< LOQ	0.2		0.1	ppm		Imidacloprid	< LOQ	0.4		0.1	ppm	
Kresoxim-methyl	< LOQ	0.4		0.1	ppm		Malathion	< LOQ	0.2	1	0.1	ppm	
Vetalaxyl	< LOQ	0.2		0.1	ppm		Methiocarb	< LOQ	0.2	-	0.1	ppm	
Vethomyl	< LOQ	0.4		0.1	ppm		Methyl parathion	< LOQ	0.2		0.1	ppm	
MGK-264	< LOQ	0.2		0.1	ppm		Myclobutanil	< LOQ	0.2		0.1	ppm	
Valed	< LOQ	0.5		0.1	ppm		Oxamyl	< LOQ	1	X	0.1	ppm	
Paclobutrazol	<loq< td=""><td>0.4</td><td></td><td>0.1</td><td>ppm</td><td></td><td>Permethrins</td><td>< LOQ</td><td>0.2</td><td></td><td>0.1</td><td>ppm</td><td></td></loq<>	0.4		0.1	ppm		Permethrins	< LOQ	0.2		0.1	ppm	
Phosmet	< LOQ	0.2		0.1	ppm		Piperonyl butoxide	< LOQ	2	1	0.9	ppm	
Prallethrin	<loq< td=""><td>0.2</td><td></td><td>0.1</td><td>ppm</td><td></td><td>Propiconazole</td><td>< LOQ</td><td>0.4</td><td></td><td>0.1</td><td>ppm</td><td></td></loq<>	0.2		0.1	ppm		Propiconazole	< LOQ	0.4		0.1	ppm	
Propoxur	< LOQ	0.2		0.1	ppm		Pyrethrins	< LOQ	1		0.5	ppm	
Pyridaben	< LOQ	0.2		0.1	ppm		Spinosad	< LOQ	0.2	-X	0.1	ppm	
Spiromesifen	< LOQ	0.2		0.1	ppm		Spirotetramat	< LOQ	0.2		0.1	ppm	
Spiroxamine	< LOQ	0.4		0.1	ppm		Tebuconazole	< LOQ	0.4		0.1	ppm	
Thiacloprid	< LOQ	0.2		0.1	ppm		Thiamethoxam	< LOQ	0.2		0.1	ppm	
Trifloxystrobin	< LOQ	0.2		0.1	ppm								

ND - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.





Eric Wendt Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab. This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Sample ID: G3F0271-01Matrix: Hemp Extracts & ConcentratesTest ID: 5025243Source ID:Date Sampled: 06/16/23Date Accepted: 06/16/23

Harvest/Prod. Date: 06.15.2023

Quality Control Testing Official Report

Analysis Method/SOP: 205

GVB Oregon

info@gvbbiopharma.com

Residual Solvents by GCMS-HS

Date/Time Extracted: 06/16/23 12:36

Analyte	Result	Action Level	LOD	LOQ	Units	Not
1,4-Dioxane	< LOQ	380		50.00	ppm	1
2-Butanol	< LOQ	5000		1000	ppm	
2-Ethoxyethanol	< LOQ	160		80.00	ppm	
2-Propanol (IPA)	< LOQ	5000		1000	ppm	
Acetone	< LOQ	5000		1000	ppm	
Acetonitrile	< LOQ	410		50.00	ppm	
Benzene	< LOQ	2		1.000	ppm	
Butanes	< LOQ	5000		1000	ppm	
Cumene	< LOQ	70		35.00	ppm	
Cyclohexane	< LOQ	3880		50.00	ppm	-
Dichloromethane	< LOQ	600		50.00	ppm	
Ethyl acetate	< LOQ	5000		1000	ppm	
Ethyl benzene	< LOQ	2170		35.00	ppm	
Ethyl ether	< LOQ	5000	-7	1000	ppm	
Ethylene glycol	< LOQ	620		310.0	ppm	
Ethylene oxide	< LOQ	50	_	25.00	ppm	
Heptane	< LOQ	5000		1000	ppm	
Hexanes	< LOQ	290		50.00	ppm	
Isopropyl acetate	< LOQ	5000		1000	ppm	
Methanol	< LOQ	3000		1000	ppm	
Pentanes	< LOQ	5000		1000	ppm	
Propane	< LOQ	5000		1000	ppm	
Tetrahydrofuran	< LOQ	720		50.00	ppm	
Toluene	< LOQ	890		50.00	ppm	
Xylenes	< LOQ	2170		50.00	ppm	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted Red.



Eric Wendt Chief Science Officer - 6/19/2023

Page 4 of 12

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab. This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Sample ID: G3F0271-01

Matrix: Hemp Extracts & Concentrates

Test ID: 5025243

Source ID:

Date Sampled: 06/16/23

Date Accepted: 06/16/23

Harvest/Prod. Date: 06.15.2023

GVB Oregon info@gvbbiopharma.com

Quality Control Testing

Official Report

Molds and Fungi Screen

Analysis Method/SOP: 301

Date/Time Extracted: 06/17/23 13:40

Total Colonies: < LOQ CFU/g

This is not a doctor's recommendation. A large majority of samples fall within the 1400-8500 range. Microbial colony counting is not accrediated to ORELAP TNI 2009 or ISO 17025:2017 Quality Standards.

Metals b	v IC	PN	١S
----------	------	----	----

Date/Time	Extracted: 06/	16/23 1	0:34			Analysis Method/SOP: Metals
Analyte	Result	Action Level	LOD	LOQ	Units	
Arsenic	< LOQ	0.2	0.03	0.08	ug/g	
Cadmium	< LOQ	0.2	0.02	0.08	ug/g	
Lead	< LOQ	0.5	0.01	0.08	ug/g	
Mercury	< LOQ	0.1	0.01	0.04	ug/g	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted Red



Eric Wendt Chief Science Officer - 6/19/2023

Page 5 of 12



Potency

Batch: 2324092 - 215-Concentrates

Blank(2324092-	BLK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		06/16/23 12:12	06/16/23 22:30	
delta 9-THC	< LOQ	0.0005	%		06/16/23 12:12	06/16/23 22:30	
delta 8-THC	< LOQ	0.0934	%		06/16/23 12:12	06/16/23 22:30	
THCV	< LOQ	0.1052	%		06/16/23 12:12	06/16/23 22:30	
THCVA	< LOQ	0.0392	%		06/16/23 12:12	06/16/23 22:30	
CBD	< LOQ	0.0005	%		06/16/23 12:12	06/16/23 22:30	
CBDA	< LOQ	0.0005	%		06/16/23 12:12	06/16/23 22:30	
CBDV	< LOQ	0.1040	%		06/16/23 12:12	06/16/23 22:30	
CBDVA	< LOQ	0.0341	%		06/16/23 12:12	06/16/23 22:30	
CBN	< LOQ	0.0622	%		06/16/23 12:12	06/16/23 22:30	
CBG	< LOQ	0.0164	%		06/16/23 12:12	06/16/23 22:30	
CBGA	< LOQ	0.0164	%		06/16/23 12:12	06/16/23 22:30	
CBC	< LOQ	0.0186	%		06/16/23 12:12	06/16/23 22:30	

Reference(2324092-SRM1)

% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
105	0.0002	%	90-110	06/16/23 12:12	06/16/23 22:52	
106	0.0002	%	90-110	06/16/23 12:12	06/16/23 22:52	
97.2	0.0463	%	90-110	06/16/23 12:12	06/16/23 22:52	
109	0.0002	%	90-110	06/16/23 12:12	06/16/23 22:52	
92.6	0.0002	%	90-110	06/16/23 12:12	06/16/23 22:52	
	% Recovery 105 106 97.2 109	% Recovery LOQ 105 0.0002 106 0.0002 97.2 0.0463 109 0.0002	% Recovery LOQ Units 105 0.0002 % 106 0.0002 % 97.2 0.0463 % 109 0.0002 %	% Recovery LOQ Units % Recovery Limits 105 0.0002 % 90-110 106 0.0002 % 90-110 97.2 0.0463 % 90-110 109 0.0002 % 90-110	% Recovery LOQ Units % Recovery Limits Extracted 105 0.0002 % 90-110 06/16/23 12:12 106 0.0002 % 90-110 06/16/23 12:12 97.2 0.0463 % 90-110 06/16/23 12:12 109 0.0002 % 90-110 06/16/23 12:12	105 0.0002 % 90-110 06/16/23 12:12 06/16/23 22:52 106 0.0002 % 90-110 06/16/23 12:12 06/16/23 22:52 97.2 0.0463 % 90-110 06/16/23 12:12 06/16/23 22:52 109 0.0002 % 90-110 06/16/23 12:12 06/16/23 22:52

Pesticide Analysis

Batch: 2324103 - 202

Blank(2324103-BL	.K1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Acephate	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Acequinocyl	< LOQ	0.5	ppm		06/16/23 14:47	06/18/23 07:26	
Acetamiprid	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Aldicarb	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Azoxystrobin	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Bifenazate	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Bifenthrin	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Boscalid	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30	
Carbaryl	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Carbofuran	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Chlorantraniliprole	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Chlorfenapyr	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30	



Eric Wendt Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the

written permission of Green Leaf Lab.



Pesticide Analysis (Continued)

Batch: 2324103 - 202 (Continued)

Dispyrifies < LOQ	Blank(2324103-BL	K1)					
Choleniezine <	Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed Note
Daminozide < LOQ 0.5 ppm 06/16/23 14.47 06/18/23 07.26 Vjulutin < LOQ 0.5 ppm 06/16/23 14.47 06/17/23 23/30 Vjulutin < LOQ 0.5 ppm 06/16/23 14.47 06/17/23 23/30 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Vjupermethin < LOQ 0.1 ppm 06/16/23 14.4	Chlorpyrifos	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
bybuthrin < LOQ 0.5 ppm 06/16/23 14.47 06/17/23 22.30 Dezinon < LOQ	Clofentezine	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Name LOQ 0.1 pm 06/16/23 14/47 06/18/23 07/26 Dypermethrin < LOQ	Daminozide	< LOQ	0.5	ppm		06/16/23 14:47	06/18/23 07:26
Spyermethrin < LOQ 0.5 pm 09/19/29 14.47 06/17/23 22.30 Jimethoate < LOQ	Cyfluthrin	< LOQ	0.5	ppm		06/16/23 14:47	06/17/23 22:30
And Control Deprin Def / 16/23 14.47 Def / 18/23 07-26 Ethoprophos < LOQ	Diazinon	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
ethoprophos < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07-26 itolenprox < LOQ	Cypermethrin	< LOQ	0.5	ppm		06/16/23 14:47	06/17/23 22:30
Edeferptox < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 Ederptox < LOQ	Dimethoate	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
atoxazole < LOQ 0.1 ppm 66/16/23 14/47 66/18/23 07.26 enoxyearb < LOQ	Ethoprophos	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Peroxycarb < LOQ 0.1 pm 06/16/29 14.47 06/18/23 07.26 ienpyroximate < LOQ	Etofenprox	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Perpyoximate < LOQ 0.1 pm 06/16/23 14.47 06/18/23 07.26 Honicamid < LOQ	Etoxazole	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Non-construction < LOQ 0.1 ppm 06/16/23 14.47 06/18/23 07.26 texythiazox < LOQ	Fenoxycarb	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
exerythiazox < LOQ	Fenpyroximate	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
mazall< LOQ0.1pm06/16/2314.4706/18/2307.26fiponil< LOQ	Flonicamid	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
ipronil< LOQ0.1ppm06/16/2314.4706/17/2322.30midacloprid< LOQ	Hexythiazox	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Mindacloprid< LOQ0.1ppm06/16/231.4.706/18/2307.26Hudioxonil< LOQ	Imazalil	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Hudioxonil < LOQ 0.1 ppm 06/16/23 1.4.7 06/17/23 22.30 Metalaxyl < LOQ	Fipronil	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Actalaxyl< LOQ0.1ppm06/16/2314:4706/18/2307:26Acthiocarb< LOQ	Imidacloprid	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
ArthologyL CQ0.1ppm06/16/2314:4706/18/2307:26Methomyl< LOQ	Fludioxonil	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Alethomyl< LOQ0.1ppm06/16/2314.4706/18/2307.26Ayclobutanil< LOQ	Metalaxyl	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Ayob< LOQ0.1ppm06/16/2314:4706/18/2307:26Kresoxim-methyl< LOQ	Methiocarb	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Aresoxim-methyl< LOQ0.1ppm06/16/2314:4706/17/2322:30Aalaed< LOQ	Methomyl	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Alaled< LOQ0.1ppm06/16/2314:4706/18/2307:26Alalathion< LOQ	Myclobutanil	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Malathion< LOQ0.1ppm06/16/2314:4706/17/2322:30Oxamyl< LOQ	Kresoxim-methyl	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Dxamyl< LOQ0.1ppm06/16/2314:4706/18/2307:26Paclobutrazol< LOQ	Naled	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Packobutrazol< LOQ0.1ppm06/16/2314:4706/18/2307:26Permethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Methyl parethion< LOQ0.1ppm06/16/2314:4706/17/2322:30MGK-264< LOQ0.1ppm06/16/2314:4706/17/2322:30Posmet< LOQ0.1ppm06/16/2314:4706/18/2307:26Piperonyl butoxide< LOQ0.1ppm06/16/2314:4706/18/2307:26Propoxur< LOQ0.1ppm06/16/2314:4706/18/2307:26Propoxur< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Pyrethrins< LOQ0.1ppm06/16/2314:4706/18/23 <t< td=""><td>Malathion</td><td>< LOQ</td><td>0.1</td><td>ppm</td><td></td><td>06/16/23 14:47</td><td>06/17/23 22:30</td></t<>	Malathion	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Permethrins< LOQ0.1ppm06/16/2314:4706/18/2307:26Methyl parathion< LOQ	Oxamyl	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Methyl parethion< LOQ0.1ppm06/16/2314:4706/17/2322:30MGK-264< LOQ	Paclobutrazol	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
MGK-264< LOQ0.1ppm06/16/2314:4706/17/2322:30Phosmet< LOQ	Permethrins	<loq< td=""><td>0.1</td><td>ppm</td><td></td><td>06/16/23 14:47</td><td>06/18/23 07:26</td></loq<>	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Phosmet < LOQ	Methyl parathion	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Piperonyl butoxide < LOQ 0.9 ppm 06/16/23 14:47 06/18/23 07:26 Prallethrin < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Propoxur < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyrethrins < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyridaben < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyropiconazole < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26	MGK-264	< LOQ	0.1	ppm		06/16/23 14:47	06/17/23 22:30
Prallethrin < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Propoxur < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyrethrins < LOQ 0.5 ppm 06/16/23 14:47 06/18/23 07:26 Pyridaben < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Propiconazole < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26	Phosmet	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26
Propoxur < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyrethrins < LOQ 0.5 ppm 06/16/23 14:47 06/18/23 07:26 Pyridaben < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Propiconazole < LOQ 0.1 ppm 06/16/23 14:47 06/17/23 22:30	Piperonyl butoxide	< LOQ	0.9	ppm		06/16/23 14:47	06/18/23 07:26
Propoxur < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Pyrethrins < LOQ	Prallethrin	< LOQ				06/16/23 14:47	06/18/23 07:26
Pyrethrins < LOQ 0.5 ppm 06/16/23 14:47 06/18/23 07:26 Pyridaben < LOQ	Propoxur	< LOQ	0.1			06/16/23 14:47	06/18/23 07:26
Pyridaben < LOQ 0.1 ppm 06/16/23 14:47 06/18/23 07:26 Propiconazole < LOQ	Pyrethrins	< LOQ	0.5			06/16/23 14:47	06/18/23 07:26
Propiconazole < LOQ 0.1 ppm 06/16/23 14:47 06/17/23 22:30	Pyridaben						
	Propiconazole						
opinosau NLOQ 0.1 ppini 00/10/20 14.47 00/18/23 0/120	Spinosad	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26



Eric Wendt Chief Science Officer - 6/19/2023

Page 7 of 12

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.



Pesticide Analysis (Continued)

Batch: 2324103 - 202 (Continued)

Blank(2324103-B	LK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Spiromesifen	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Spirotetramat	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Spiroxamine	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Tebuconazole	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Thiacloprid	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Thiamethoxam	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
Trifloxystrobin	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
DDVP (Dichlorvos)	< LOQ	0.1	ppm		06/16/23 14:47	06/18/23 07:26	
LCS(2324103-BS	1)						
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	82.7	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Acephate	106	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Acequinocyl	94.0	0.5	ppm	40-160	06/16/23 14:47	06/18/23 07:49	
Acetamiprid	104	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Aldicarb	94.8	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Azoxystrobin	101	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Bifenazate	98.9	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Bifenthrin	89.7	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Boscalid	68.5	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Carbaryl	107	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Carbofuran	105	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Chlorantraniliprole	104	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Chlorfenapyr	90.5	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Chlorpyrifos	91.7	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Clofentezine	121	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Cypermethrin	72.6	0.5	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Daminozide	110	0.5	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Cyfluthrin	110	0.5	ppm	50-150	06/16/23 14:47	06/17/23 22:52	
Diazinon	98.7	0.0	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Cypermethrin	93.8	0.5	ppm	50-150	06/16/23 14:47	06/17/23 22:52	
Dimethoate	99.3	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Ethoprophos	99.9	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Etofenprox	100	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Etoxazole	100	0.1		60-120	06/16/23 14:47	06/18/23 07:49	
Fenoxycarb	100	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
,			ppm				
Fenpyroximate	103	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Flonicamid	125	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Hexythiazox	95.9	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	



Eric Wendt

Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the

written permission of Green Leaf Lab.



Pesticide Analysis (Continued)

Batch: 2324103 - 202 (Continued)

Г

LCS(2324103-BS1	l)						
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Imazalil	98.4	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Fipronil	85.0	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Imidacloprid	127	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Fludioxonil	87.1	0.1	ppm	50-150	06/16/23 14:47	06/17/23 22:52	
Metalaxyl	100	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Methiocarb	117	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Methomyl	112	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Myclobutanil	105	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Kresoxim-methyl	107	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Naled	97.2	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Malathion	89.5	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Oxamyl	102	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Paclobutrazol	115	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Permethrins	105	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Methyl parathion	78.2	0.1	ppm	50-150	06/16/23 14:47	06/17/23 22:52	
MGK-264	99.5	0.1	ppm	50-150	06/16/23 14:47	06/17/23 22:52	
Phosmet	109	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Piperonyl butoxide	123	0.9	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Prallethrin	103	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Propoxur	107	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Pyrethrins	90.6	0.5	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Pyridaben	104	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Propiconazole	91.7	0.1	ppm	60-120	06/16/23 14:47	06/17/23 22:52	
Spinosad	91.0	0.1	ppm	50-150	06/16/23 14:47	06/18/23 07:49	
Spiromesifen	93.6	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Spirotetramat	107	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Spiroxamine	93.0	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Tebuconazole	96.4	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Thiacloprid	108	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Thiamethoxam	111	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
Trifloxystrobin	101	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	
DDVP (Dichlorvos)	116	0.1	ppm	60-120	06/16/23 14:47	06/18/23 07:49	

Solvent Analysis

Batch: 2324096 - 205

Blank(2324	096-BLK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
A WANNAGE MEN S	E= -st	Eric We Chief So		er - 6/19/2023			Page 9 of 12
ISO 17025 ACCREDITED LABORATORY		. ,	vritten permission	rt. The report may not be repro n of Green Leaf Lab. e testing. Lab results apply to t	• •	but the	



Quality Control Solvent Analysis (Continued)

Batch: 2324096 - 205 (Continued)

Blank(2324096-B	LK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetonitrile	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
Benzene	< LOQ	1.000	ppm		06/16/23 12:36	06/17/23 09:54	
Butanes	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
2-Butanol	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Cumene	< LOQ	35.00	ppm		06/16/23 12:36	06/17/23 09:54	
Cyclohexane	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
Dichloromethane	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
1,4-Dioxane	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
2-Ethoxyethanol	< LOQ	80.00	ppm		06/16/23 12:36	06/17/23 09:54	
Ethyl acetate	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Ethyl benzene	< LOQ	35.00	ppm		06/16/23 12:36	06/17/23 09:54	
Ethylene glycol	< LOQ	310.0	ppm		06/16/23 12:36	06/17/23 09:54	
Ethylene oxide	< LOQ	25.00	ppm		06/16/23 12:36	06/17/23 09:54	
Ethyl ether	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Heptane	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Hexanes	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
lsopropyl acetate	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Methanol	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Pentanes	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Propane	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
2-Propanol (IPA)	< LOQ	1000	ppm		06/16/23 12:36	06/17/23 09:54	
Tetrahydrofuran	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
Toluene	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	
Xylenes	< LOQ	50.00	ppm		06/16/23 12:36	06/17/23 09:54	

LCS(2324096-BS1) % Recovery LOQ Units %Recovery Limits Extracted Analyzed Notes Analyte Acetone 104 1000 60-120 06/16/23 12:36 06/16/23 17:02 ppm Acetonitrile 107 50.00 06/16/23 12:36 06/16/23 17:02 ppm 60-120 Benzene 105 1.000 60-120 06/16/23 12:36 06/16/23 17:02 ppm **Butanes** 92.4 1000 ppm 60-120 06/16/23 12:36 06/16/23 17:02 2-Butanol 104 1000 ppm 60-120 06/16/23 12:36 06/16/23 17:02 Cumene 105 35.00 60-120 06/16/23 12:36 06/16/23 17:02 ppm Cyclohexane 50.00 60-120 06/16/23 12:36 06/16/23 17:02 102 ppm Dichloromethane 105 50.00 60-120 06/16/23 12:36 06/16/23 17:02 ppm 06/16/23 12:36 06/16/23 17:02 1,4-Dioxane 105 50.00 ppm 60-120 2-Ethoxyethanol 109 80.00 60-120 06/16/23 12:36 06/16/23 17:02 ppm 1000 06/16/23 17:02 Ethyl acetate 103 60-120 06/16/23 12:36 ppm 35.00 06/16/23 17:02 Ethyl benzene 106 ppm 60-120 06/16/23 12:36



Eric Wendt

Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the

written permission of Green Leaf Lab.



Quality Control Solvent Analysis (Continued)

Batch: 2324096 - 205 (Continued)

LCS(2324096-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Ethylene glycol	130	310.0	ppm	60-120	06/16/23 12:36	06/16/23 17:02	BSH
Ethylene oxide	103	25.00	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Ethyl ether	104	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Heptane	103	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Hexanes	102	50.00	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
lsopropyl acetate	105	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Vethanol	102	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Pentanes	98.8	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Propane	75.6	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
2-Propanol (IPA)	103	1000	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Tetrahydrofuran	104	50.00	ppm	60-120	06/16/23 12:36	06/16/23 17:02	
Toluene	105	50.00	ppm	60-120	06/16/23 12:36	06/16/23 17:02	

Metals

Batch: 2324084 - 217

Blank(2324084-B	LK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Cadmium	< LOQ	0.08	ug/g		06/16/23 10:34	06/16/23 15:34	
Lead	< LOQ	0.08	ug/g		06/16/23 10:34	06/16/23 15:34	
Arsenic	< LOQ	0.08	ug/g		06/16/23 10:34	06/16/23 15:34	
Mercury	< LOQ	0.04	ug/g		06/16/23 10:34	06/16/23 15:34	
LCS(2324084-BS	1)						
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Cadmium	99.2	0.08	ug/g	80-115	06/16/23 10:34	06/16/23 15:36	
Lead	103	0.08	ug/g	80-115	06/16/23 10:34	06/16/23 15:36	
Arsenic	98.8	0.08	ug/g	80-115	06/16/23 10:34	06/16/23 15:36	
Mercury	97.6	0.04	ug/g	80-115	06/16/23 10:34	06/16/23 15:36	
Batch: 2324118 - 3	301						
Blank(2324118-Bl	LK1)						
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Molds and Fungi	< LOQ	10.0	cfu/g		06/17/23 13:40	06/19/23 11:01	





Eric Wendt Chief Science Officer - 6/19/2023

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab. This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Quality Control Testing Official Report

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

- ATM Non-cannabis matrix related interference or suppression of Internal standard
- BLI Baseline Interference Cannabinoid peak interference in chromatographic baseline affecting QC recovery
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low Blank Spike recovery below lower method limit, analyte chromatography reviewed C manually for all samples.
- C manually for all samples. CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference Matrix spike source sample contains analyte hit above calibration affecting
- TPP recovery accuracy in Matrix Spike.
- U Matrix Spike Low Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
 - Internal Standard concentration outside control limit due to matrix interference





Eric Wendt Chief Science Officer - 6/19/2023



www.columbialaboratories.com

Page 1 of 5

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390





Report Number: 23-007171/D002.R000 06/22/2023 **Report Date: ORELAP#:** OR100028 Purchase Order: **Received:** 06/16/23 12:28



Customer:	GVB Oregon United States of America (
Product identity:	CBC Iso GVL-TST666
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-007171-0001
Evidence of Cooling:	No
Temp:	27.3 °C
Relinguished by:	client



Sample Results

Microbiology						
Analyte	Result	Limits Units	LOQ	Batch	Analyzed Method	Status Notes
E.coli	< LOQ	cfu/g	10	2308312	06/19/23 AOAC 991.14 (Petrifilm) ^b	
Total Coliforms	< LOQ	cfu/g	10	2308312	06/19/23 AOAC 991.14 (Petrifilm) ^b	
Mold (RAPID Petrifilm)	< LOQ	cfu/g	10	2308313	06/19/23 AOAC 2014.05 (RAPID) ^b	
Yeast (RAPID Petrifilm)	< LOQ	cfu/g	10	2308313	06/19/23 AOAC 2014.05 (RAPID) ^b	

www.co	iumbia	laporat	ories.com

Page 2 of 5

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390





 Report Number:
 23-007171/D002.R000

 Report Date:
 06/22/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 06/16/23
 12:28

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

cfu/g = Colony forming units per gram % wt = $\mu g/g$ divided by 10,000

Approved Signatory

www.columbialaboratories.com

Page 3 of 5

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Derrick Tanner General Manager





Report Number: 23-007171/D002.R000 **Report Date:** 06/22/2023 ORELAP#: OR100028 Purchase Order: **Received:** 06/16/23 12:28





Page 4 of 5 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0390





Report Number: 23-007171/D002.R000 06/22/2023 **Report Date:** ORELAP#: OR100028 **Purchase Order: Received:** 06/16/23 12:28

	Explanation of QC Flag Comments:
Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 5 of 5 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390