



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Customer:
Product identity: Crystal Resistant Distillate GVL-TST607
Client/Metric ID: .
Laboratory ID: 23-005125-0001

Summary

Potency:

Analyte	Result (%)		
CBD	48.8		CBD-Total 48.8%
CBE	6.82		THC-Total <LOQ
CBC	3.41		(Reported in percent of total sample)
CBT	2.87		
CBN	2.28		
CBG	1.36		
CBDV	0.503		
CBL	0.415		

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Customer:

Product identity: Crystal Resistant Distillate GVL-TST607
Client/Metric ID: .
Sample Date:
Laboratory ID: 23-005125-0001
Evidence of Cooling: No
Temp: 23.3
Relinquished by: client

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^P			Units %	Batch: 2306872	Analyze: 4/28/23 9:48:00 PM
Analyte	As Received	Dry weight	LOQ	Notes		
CBC	3.41		0.0680			
CBC-A	< LOQ		0.0680			
CBC-Total	3.41		0.128			
CBD	48.8		0.680			
CBD-A	< LOQ		0.0680			
CBD-Total	48.8		0.739			
CBDV	0.503		0.0680			
CBDV-A	< LOQ		0.0680			
CBDV-Total	0.503		0.127			
CBE	6.82		0.0680			
CBG	1.36		0.0680			
CBG-A	< LOQ		0.0680			
CBG-Total	1.36		0.127			
CBL	0.415		0.0680			
CBL-A	< LOQ		0.0680			
CBL-Total	0.415		0.128			
CBN	2.28		0.0680			
CBT	2.87		0.0680			
Δ10-THC-9R	< LOQ		0.0680			
Δ10-THC-9S	< LOQ		0.0680			
Δ10-THC-Total	< LOQ		0.136			
Δ8-THC	< LOQ		0.0680			
Δ8-THCV	< LOQ		0.0680			
Δ9-THC	< LOQ		0.0680			
exo-THC	< LOQ		0.0680			
THC-A	< LOQ		0.0680			
THC-Total	< LOQ		0.128			
THCV	< LOQ		0.0680			
THCV-A	< LOQ		0.0680			
THCV-Total	< LOQ		0.127			
Total Cannabinoids	66.5					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2306817	04/30/23 AOAC 991.14 (Petrifilm) ^P		
Total Coliforms	< LOQ		cfu/g	10	2306817	04/30/23 AOAC 991.14 (Petrifilm) ^P		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2306818	05/01/23 AOAC 2014.05 (RAPID) ^P		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2306818	05/01/23 AOAC 2014.05 (RAPID) ^P		

Solvents Method: Residual Solvents by GC/MS^B Units µg/g Batch 2306966 Analyze 05/03/23 02:34 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

*SAMPLE



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) ^b											
Units mg/kg Batch 2306954 Analyze 05/03/23 10:31 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [¥]	< LOQ	0.50	0.250	pass		Acephate [¥]	< LOQ	0.40	0.200	pass	
Acequinocyl [¥]	< LOQ	2.0	1.00	pass		Acetamidiprid [¥]	< LOQ	0.20	0.100	pass	
Aldicarb [¥]	< LOQ	0.40	0.200	pass		Azoxystrobin [¥]	< LOQ	0.20	0.100	pass	
Bifentazate [¥]	< LOQ	0.20	0.100	pass		Bifenthrin [¥]	< LOQ	0.20	0.100	pass	
Boscalid [¥]	< LOQ	0.40	0.200	pass		Carbaryl [¥]	< LOQ	0.20	0.100	pass	
Carbofuran [¥]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [¥]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [¥]	< LOQ	1.0	0.500	pass		Chlorpyrifos [¥]	< LOQ	0.20	0.100	pass	
Clofentezine [¥]	< LOQ	0.20	0.100	pass		Cyfluthrin [¥]	< LOQ	1.0	0.500	pass	
Cypermethrin [¥]	< LOQ	1.0	0.500	pass		Daminozide [¥]	< LOQ	1.0	0.500	pass	
Diazinon [¥]	< LOQ	0.20	0.100	pass		Dichlorvos [¥]	< LOQ	1.0	0.500	pass	
Dimethoate [¥]	< LOQ	0.20	0.100	pass		Ethoprophos [¥]	< LOQ	0.20	0.100	pass	
Etofenprox [¥]	< LOQ	0.40	0.200	pass		Etoazole [¥]	< LOQ	0.20	0.100	pass	
Fenoxycarb [¥]	< LOQ	0.20	0.100	pass		Fenproximate [¥]	< LOQ	0.40	0.200	pass	
Fipronil [¥]	< LOQ	0.40	0.200	pass		Flonicamid [¥]	< LOQ	1.0	0.400	pass	
Fludioxonil [¥]	< LOQ	0.40	0.200	pass		Hexythiazox [¥]	< LOQ	1.0	0.400	pass	
Imazalil [¥]	< LOQ	0.20	0.100	pass		Imidacloprid [¥]	< LOQ	0.40	0.200	pass	
Kresoxim-methyl [¥]	< LOQ	0.40	0.200	pass		Malathion [¥]	< LOQ	0.20	0.100	pass	
Metalaxyl [¥]	< LOQ	0.20	0.100	pass		Methiocarb [¥]	< LOQ	0.20	0.100	pass	
Methomyl [¥]	< LOQ	0.40	0.200	pass		MGK-264 [¥]	< LOQ	0.20	0.100	pass	
Myclobutanil [¥]	< LOQ	0.20	0.100	pass		Naled [¥]	< LOQ	0.50	0.250	pass	
Oxamyl [¥]	< LOQ	1.0	0.500	pass		Paclobutrazole [¥]	< LOQ	0.40	0.200	pass	
Parathion-Methyl [¥]	< LOQ	0.20	0.100	pass		Permethrin [¥]	< LOQ	0.20	0.100	pass	
Phosmet [¥]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [¥]	< LOQ	2.0	1.00	pass	
Prallethrin [¥]	< LOQ	0.20	0.100	pass		Propiconazole [¥]	< LOQ	0.40	0.200	pass	
Propoxur [¥]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [¥]	< LOQ	1.0	0.500	pass	
Pyridaben [¥]	< LOQ	0.20	0.100	pass		Spinosad [¥]	< LOQ	0.20	0.100	pass	
Spiromesifen [¥]	< LOQ	0.20	0.100	pass		Spirotetramat [¥]	< LOQ	0.20	0.100	pass	
Spiroxamine [¥]	< LOQ	0.40	0.200	pass		Tebuconazole [¥]	< LOQ	0.40	0.200	pass	
Thiacloprid [¥]	< LOQ	0.20	0.100	pass		Thiamethoxam [¥]	< LOQ	0.20	0.100	pass	
Trifloxystrobin [¥]	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes	
Arsenic [¥]	< LOQ	0.200	mg/kg	0.0895	2306940	05/02/23	AOAC 2013.06 (mod.) ^b	pass		
Cadmium [¥]	< LOQ	0.200	mg/kg	0.0895	2306940	05/02/23	AOAC 2013.06 (mod.) ^b	pass		
Lead [¥]	< LOQ	0.500	mg/kg	0.0895	2306940	05/02/23	AOAC 2013.06 (mod.) ^b	pass		
Mercury [¥]	< LOQ	0.100	mg/kg	0.0448	2306940	05/02/23	AOAC 2013.06 (mod.) ^b	pass		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

¥ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

SAMPLE COA

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2306872

Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0947	0.091	%	104	80.0 - 120	Acceptable	
CBDV	2	0.0937	0.089	%	106	80.0 - 120	Acceptable	
CBE	2	0.104	0.102	%	102	80.0 - 120	Acceptable	
CBD	1	0.0992	0.093	%	107	90.0 - 110	Acceptable	
CBGA	1	0.0839	0.077	%	109	80.0 - 120	Acceptable	
CBG	1	0.102	0.093	%	109	80.0 - 120	Acceptable	
THCV	2	0.0670	0.068	%	98.6	80.0 - 120	Acceptable	
d8THCV	2	0.0827	0.080	%	104	80.0 - 120	Acceptable	
THCVA	2	0.0996	0.094	%	106	80.0 - 120	Acceptable	
CBN	1	0.0871	0.081	%	108	80.0 - 120	Acceptable	
exo-THC	2	0.0920	0.092	%	99.9	80.0 - 120	Acceptable	
d9THC	1	0.0992	0.093	%	106	90.0 - 110	Acceptable	
d8THC	1	0.0970	0.094	%	104	90.0 - 110	Acceptable	
9S-d10THC	1	0.0979	0.094	%	104	80.0 - 120	Acceptable	
CBL	2	0.0952	0.097	%	98.4	80.0 - 120	Acceptable	
9R-d10THC	1	0.0949	0.096	%	99.0	80.0 - 120	Acceptable	
CBC	2	0.0907	0.091	%	100	80.0 - 120	Acceptable	
THCA	1	0.110	0.108	%	102	90.0 - 110	Acceptable	
CBCA	2	0.101	0.097	%	104	80.0 - 120	Acceptable	
CBLA	2	0.100	0.096	%	104	80.0 - 120	Acceptable	
CBT	2	0.0908	0.099	%	91.5	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBDV	<LOQ	0.077	%	< 0.077	Acceptable	
CBE	<LOQ	0.077	%	< 0.077	Acceptable	
CBD	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBG	<LOQ	0.077	%	< 0.077	Acceptable	
THCV	<LOQ	0.077	%	< 0.077	Acceptable	
d8THCV	<LOQ	0.077	%	< 0.077	Acceptable	
THCVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBN	<LOQ	0.077	%	< 0.077	Acceptable	
exo-THC	<LOQ	0.077	%	< 0.077	Acceptable	
d9THC	<LOQ	0.077	%	< 0.077	Acceptable	
d8THC	<LOQ	0.077	%	< 0.077	Acceptable	
9S-d10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CBL	<LOQ	0.077	%	< 0.077	Acceptable	
9R-d10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CBC	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBLA	<LOQ	0.077	%	< 0.077	Acceptable	
CBT	<LOQ	0.077	%	< 0.077	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

SAMPLE

COA*



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2306872						
Sample Duplicate		Sample ID: 23-005051-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	0.0846	0.0778	0.077	%	8.33	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THC	50.7	50.1	0.077	%	1.24	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

SAMPLE COA

SAMPLE COA



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2306966					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		401	584	µg/g	68.7	60 - 120	
Isobutane	ND	< 200		511	767	µg/g	66.6	60 - 120	
Butane	ND	< 200		542	782	µg/g	69.3	60 - 120	
2,2-Dimethylpropane	ND	< 200		705	939	µg/g	75.1	60 - 120	
Methanol	ND	< 200		1520	1610	µg/g	94.4	60 - 120	
Ethylene Oxide	ND	< 30		44	57.1	µg/g	77.1	60 - 120	
2-Methylbutane	ND	< 200		1250	1600	µg/g	78.1	60 - 120	
Pentane	ND	< 200		1300	1610	µg/g	80.7	60 - 120	
Ethanol	ND	< 200		1320	1600	µg/g	82.5	70 - 130	
Ethyl Ether	ND	< 200		1270	1610	µg/g	78.9	60 - 120	
2,2-Dimethylbutane	ND	< 30		134	173	µg/g	77.5	60 - 120	
Acetone	ND	< 200		1290	1620	µg/g	79.6	60 - 120	
2-Propanol	ND	< 200		1250	1600	µg/g	78.1	60 - 120	
Acetonitrile	ND	< 100		386	488	µg/g	79.1	60 - 120	
2,3-Dimethylbutane	ND	< 30		117	165	µg/g	70.9	60 - 120	
Dichloromethane	ND	< 60		411	487	µg/g	84.4	60 - 120	
2-Methylpentane	ND	< 30		121	160	µg/g	75.6	60 - 120	
3-Methylpentane	ND	< 30		123	161	µg/g	76.4	60 - 120	
Hexane	ND	< 30		124	162	µg/g	76.5	60 - 120	
Ethyl acetate	ND	< 200		1210	1600	µg/g	75.6	60 - 120	
2-Butanol	ND	< 200		1220	1610	µg/g	75.8	60 - 120	
Tetrahydrofuran	ND	< 100		362	483	µg/g	74.9	60 - 120	
Cyclohexane	ND	< 200		1210	1610	µg/g	75.2	60 - 120	
Benzene	ND	< 1		3.96	4.98	µg/g	79.5	60 - 120	
Isopropyl Acetate	ND	< 200		1220	1610	µg/g	75.8	60 - 120	
Heptane	ND	< 200		1210	1620	µg/g	74.7	60 - 120	
1,4-Dioxane	ND	< 100		354	494	µg/g	71.7	60 - 120	
2-Ethoxyethanol	ND	< 30		128	165	µg/g	77.6	60 - 120	
Ethylene Glycol	ND	< 200		322	486	µg/g	66.3	60 - 120	
Toluene	ND	< 100		344	513	µg/g	67.1	60 - 120	
Ethylbenzene	ND	< 200		634	967	µg/g	65.6	60 - 120	
m,p-Xylene	ND	< 200		638	994	µg/g	64.2	60 - 120	
o-Xylene	ND	< 200		629	992	µg/g	63.4	60 - 120	
Cumene	ND	< 30		103	171	µg/g	60.2	60 - 120	

SAMPLE COOA



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate Sample ID: 23-005056-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm

COOA*

*SAMPLE



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005125/D002.R000
Report Date: 05/04/2023
ORELAP#: OR100028
Purchase Order:
Received: 04/27/23 13:12

SAMPLE COA

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

SAMPLE COPY